



Royal cleanland  
锐科兰

# HOME

C L E A N I N G



SuZhou Royal Cleanland Electric Co.,ltd  
Add : No.219,Shizhuang Road,Linhu Town,Wuzhong District,Suzhou City,China  
Tel : +886-512-66398078  
Fax:Tel : +886-512-66398837  
E-mail : jack@royalcleanland.com  
<http://www.royalcleanland.com>



SUZHOU ROYAL CLEANLAND ELECTRIC CO.,LTD.



# COMPANY PROFILE



Suzhou Royal cleanland Electric Co., Ltd. was established in June 2016. It is a professional manufacturer specializing in vacuum cleaners and electric mops. The factory is located in Linhu Town, Wuzhong District, Suzhou City, which is near the beautiful Taihu Lake. It covers an area of 15000 square meters and has 300 employees, including 60 engineering technicians and management staff. The company adheres to the core values of "win-win cooperation, pragmatism and innovation ", adheres to the service tenet of "client is God and quality is life", and produces high-quality products that meet customer requirements.

With the development of technology, and the survival of quality, all the time , under the care and support of new and old customers, our company has won a certain degree of honesty in this field. The brand-new century, the extraordinary challenges, the newest equipment, the unique products , the consummate manufacture craft and the outstanding technology, make our company enjoys the very high reputation. We walk steady and try our best do our best step by step , serving you wholeheartedly is our honor; your request is our commitment, your satisfaction is our pursuit.

Suzhou Royal cleanland Electric appliance Co., Ltd. is willing to cooperate with you wholeheartedly to creat tomorrow' s brilliant future together!

# HONOR ENTERPRISE




# DSV801

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

Power	Battery	Work time	
200W	2200mAh	low speed:41min high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:20Kpa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs




# DSV802

## Standard accessories :

Combination brush 


Crevice brush 

Wall bracket 

Charger 

## Parameter :


Power	Battery	Work time	
200W	2200mAh	low speed:46min	middle speed:30min
		high speed:18min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa	about 4.5h	0.6L	1200pcs
middle speed:12min			/2520pcs
high speed:20Kpa			/2835pcs




# DSV803

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 




## Parameter :

Power	Battery	Work time	
200W	2200mAh	low speed:41min	high speed:15min
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:20Kpa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs

# DSV805

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

Power	Battery	Work time	
200W	2200mAh	low speed:41min	high speed:15min
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:20Kpa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs





# DSV806



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 


## Parameter :


<b>Power</b>	<b>Battery</b>	<b>Work time</b>	
230W-380W (+ / - 10W)	2200mAh	low speed:40min	middle speed:23min
		high speed:15min	
<b>Vacuum</b>	<b>Charging time</b>	<b>Dust capacity</b>	<b>Loading</b>
low speed:8Kpa	about 4.5h	0.8L	850pcs
middle speed:14Kpa			/1710pcs
high speed:20Kpa			/1995pcs

# DSV808

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 



Screen display



Detachable battery package



Air-out let on top




One touch release dust



Foldable tube



Auto dust sensor



## Parameter :


Power	Battery	Work time
250W-380W (+ / - 10W)	2200mAh	low speed:44min middle speed:23min high speed:11.5min

Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa middle speed:14Kpa high speed:22Kpa	about 4.5h	0.8L	1092pcs /2268pcs /2457pcs

# DSV809

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 



## Parameter :


Power	Battery	Work time	
150W (+ / - 10W)	2200mAh	low speed:28min	high speed:12min
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:15Kpa	about 4.5h	0.7L	1092pcs /2268pcs /2457pcs


# DSV810



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :


Power	Battery	Work time	
200W (+ / - 10W)	2200mAh*7	low speed:50min	high speed:18min
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:20Kpa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs

# DSV813



## Standard accessories :

Combination brush 

Wall bracket 


Charger 


## Parameter :

Power	Battery	Work time	
150W	2200mAh*6	low speed:29min	high speed:15min
Vacuum	Charging time	Dust capacity	Loading
low speed:7kPa high speed:12kPa	about 4.5-5h	0.43L	20'GP :1200pcs 40'GP: 2400pcs 40'HC: 2800pcs

# DSV818

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 





## Parameter :

Power	Battery	Work time	
200W (+ / - 10W)	2200mAh	low speed:41min high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:20Kpa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs

# DSV820

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 



## Parameter :


<b>Power</b>	<b>Battery</b>	<b>Work time</b>	
200W (+ / - 10W)	2200mAh*7	low speed:45min	middle speed:25min
		high speed:15min	
<b>Vacuum</b>	<b>Charging time</b>	<b>Dust capacity</b>	<b>Loading</b>
low speed:8kPa	about 4.5h	0.6L	1200pcs
middle speed:16kPa			/2520pcs
high speed:21kPa			/2835pcs

# VC2101



## Standard accessories :

Combination brush 

Crevice brush 


Wall bracket 

Charger 


## Parameter :


Power	Battery	Work time	Vacuum
230W	25.9V	low speed: 34min middle speed: 22min high speed: 14min	high speed: $\geq 20$ Kpa middle speed: $\geq 13$ Kpa low speed: $\geq 8.0$ Kpa
Charging time	Dust capacity	Loading	
about 4.5h	0.7L	850pcs/1710pcs/1994pcs	

# VC2103



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

Power	Battery	Work time	Vacuum	Charging time
230W	25.9V	48/12min	20/5Kpa	4.5h


Dust capacity	Loading
800mL	860pcs/1770pcs/1990pcs


# VC2206



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 


Charger 


## Parameter :

Power	Battery	Work time	
200W-380W (+ / - 10W)	2200mAh	low speed:40min	middle speed:25min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:6Kpa	about 4.5h	0.8L	850pcs/1710pcs /1994pcs
middle speed:15Kpa			
high speed:20Kpa			

# DSV101


## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 




## Parameter :

Power	Battery	Work time
200W-380W (+ / - 10W)	2200mAh*7 2200mAh*8	low speed:40min middle speed:25min high speed:15min


Vacuum	Charging time	Dust capacity	Loading
low speed:6Kpa middle speed:15Kpa high speed:20Kpa	about 4.5h	0.7L	850pcs/1710pcs/ 1994pcs

# DSV103



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

Power	Battery	Work time
230W-380W (+ / - 10W)	2200mAh	low speed:40min middle speed:25min high speed:15min

Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa middle speed:13Kpa high speed:20Kpa	about 4.5h	0.6L	20'GP : 864pcs 40'GP: 1764pcs 40'HC: 1995pcs


# DSV105



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 


## Parameter :


Power	Battery	Work time	
400W	2200mAh*8	low speed:53min	middle speed:30min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5-5h	0.44L	20'GP : 897pcs 40'GP: 2100pcs 40'HC: 2350pcs

# DSV106


## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 



## Parameter :

Power	Battery	Work time
350W-400W (+ / - 10W)	2200mAh*8	low speed:53min middle speed:30min high speed:16min


Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa middle speed:14Kpa high speed:30Kpa	about 4.5h	0.6L	864pcs /1764pcs /1995pcs


# DSV107



## Standard accessories :

Combination brush 

Crevice brush 


Wall bracket 

Charger 

## Parameter :


Power	Battery	Work time	
200W	2200mAh	low speed:45min	middle speed:25min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:16kPa high speed:20kPa	about 4.5h	0.6L	20'GP : 864pcs 40'GP: 1764pcs 40'HC: 1995pcs

# DSV108



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :


Power	Battery	Work time
230W-380W (+ / - 10W)	2200mAh	low speed:43min middle speed:25min high speed:15min


Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa middle speed:13Kpa high speed:21Kpa	about 4.5h	0.6L	20'GP : 864pcs 40'GP: 1764pcs 40'HC: 1995pcs

# DSV109


## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 




## Parameter :

Power	Battery	Work time
230W-380W (+ / - 10W)	2200mAh	low speed:43min middle speed:25min high speed:15min


Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa middle speed:13Kpa high speed:21Kpa	about 4.5h	0.6L	20'GP : 864pcs 40'GP: 1764pcs 40'HC: 1995pcs


# DSV112



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

Power	Battery	Work time
200W (+ / - 10W)	2200mAh	low speed:15min high speed:41min

Vacuum	Charging time	Dust capacity	Loading
low speed:8Kpa high speed:20Kpa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs

# DSV113



Screen display


Detachable battery package

One touch release dust


Telescopic tube

## Standard accessories :


Combination brush



Crevice brush



Wall bracket



Charger



## Parameter :

Power	Battery	Work time	
350-400W	2200mAh	low speed:53min middle speed:30min high speed:16min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5h	0.6L	20'GP : 864pcs 40'GP: 1764pcs 40'HC: 1995pcs

# DSV115

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 



Screen display




Detachable battery package



One touch release dust



Telescopic tube



## Parameter :

Power	Battery	Work time	
350-400W	2200mAh	low speed:53min	middle speed:30min
		high speed:16min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5h	0.6L	20'GP : 864pcs 40'GP: 1764pcs 40'HC: 1995pcs

# DSV117

## Standard accessories :


Combination brush



Crevice brush



Wall bracket



Charger



## Parameter :

Power	Battery	Work time	
400W	2200mAh*8	low speed:53min	middle speed:30min
		high speed:16min	
Vacuum	Charging time	Dust capacity	Loading
low speed:7.5kPa middle speed:13kPa high speed:30kPa	about 4.5-5h	0.6L	20'GP : 897pcs 40'GP: 2100pcs 40'HC: 2352pcs


# DSV118



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

Power	Battery	Work time	
400W	2200mAh*8	low speed:53min	middle speed:30min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5-5h	0.44L	20'GP : 897pcs 40'GP: 2100pcs 40'HC: 2350pcs

# DSV119

## Standard accessories :


Combination brush



Crevice brush



Wall bracket



Charger



Screen display



Detachable battery package



One touch release dust



Telescopic tube



## Parameter :


Power	Battery	Work time	
230W	2200mAh*7	low speed:45min	middle speed:23min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:7kPa	about 4.5-5h	0.4L	20'GP : 1017pcs
middle speed:12.5kPa			40'GP: 2150pcs
high speed:20kPa			40'HC: 2460pcs

# DSV121



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :


Power	Battery	Work time	
400W	3000mAh*8	low speed:85min	middle speed:55min
		high speed:27min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:12kPa high speed:30kPa	about 4.5-5h	0.65L	20'GP : 886pcs 40'GP: 1776pcs 40'HC: 2151pcs


# DSV122



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :


Power	Battery	Work time	
400W	2200mAh*8	low speed:53min middle speed:30min high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5-5h	0.44L	20'GP : 897pcs 40'GP: 2100pcs 40'HC: 2350pcs

# DSV123



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 


Charger 


## Parameter :

Power	Battery	Work time	
400W	2200mAh*8	low speed:53min	middle speed:30min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5-5h	0.44L	20'GP : 897pcs 40'GP: 2100pcs 40'HC: 2350pcs

# DSV901

## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 




## Parameter :

Power	Battery	Work time	
350-400W (+ / - 10W)	2200mAh*8	low speed:53min middle speed:30min high speed:16min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8kPa middle speed:14kPa high speed:30kPa	about 4.5h	0.6L	864pcs /1764pcs /1995pcs

# DSV903



## Standard accessories :

Combination brush 

Crevice brush 


Wall bracket 

Charger 


## Parameter :

<b>Power</b>	<b>Battery</b>	<b>Work time</b>	
300W	2200mAh	low speed:42min	middle speed:24min
		high speed:15min	
<b>Vacuum</b>	<b>Charging time</b>	<b>Dust capacity</b>	<b>Loading</b>
low speed:9kPa middle speed:15kPa high speed:28kPa	about 4.5h	0.6L	20'GP : 897pcs 40'GP: 1764pcs 40'HC: 2352pcs


# DSV905



## Standard accessories :

Combination brush 

Crevice brush 

Wall bracket 

Charger 

## Parameter :

<b>Power</b>	<b>Battery</b>	<b>Work time</b>	
230-400W	2200mAh *7 2200mAh *8	low speed:45min	middle speed:25min
		high speed:15min	
<b>Vacuum</b>	<b>Charging time</b>	<b>Dust capacity</b>	<b>Loading</b>
low speed:8kPa middle speed:16kPa high speed:28kPa	about 4.5h	0.6L	1200pcs /2520pcs /2835pcs


# DSV906N

## Standard accessories :


Combination brush



Crevice brush



Wall bracket



Charger



Screen display




Detachable battery package



One touch release dust



Telescopic tube



## Parameter :

Power	Battery	Work time	
200W	2200mAh*6	low speed:40min	middle speed:24min
		high speed:15min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8.5kPa middle speed:14kPa high speed:20kPa	about 4.5-5h	0.5L	20'GP : 897pcs 40'GP: 2100pcs 40'HC: 2350pcs

# RH001


## Characteristic :

- Handy vacuum cleaner
- Portable design convenient to use
- HEPA filter and metal filter system
- Floodlight in front to clean dark place
- Power indicator
- With a base to store accessories
- Detachable battery pack
- Type C wide charging way 5-12V
- Separated main PCB and battery PCB to reduce failure rate
- Two step speed regulation



## Standard accessories :

Combination brush



Charger



## Parameter :

Power	Work time	Battery
90W BLDC 100 W normal DC motor	high speed : 10min low speed : 20min	2200mAh*2

Vacuum	Charging time	Dust capacity	Loading
high speed :11kPa low speed: 5.5 Kpa	3.5h	65mL	2500pcs/5400pcs /6800pcs

# VC1806

## Characteristic :

- Car vacuum cleaner
- Handy vacuum cleaner
- Portable design
- HEPA filter and metal filter system
- One touch release dust function
- With a base to store accessories
- Speed control
- 14.8V powerful suction motor
- Two step speed regulation



## Standard accessories :

Charger



## Parameter :

Power	Battery	Working time	Vacuum
100W (+/-5W)	2200mAh*4	18min	≥10 Kpa

Charging time	Dust capacity	Loading
4-5h	0.12L	2200pcs/4500pcs/5100pcs

# VC1903

## Characteristic :

- Handy vacuum cleaner
- Portable design
- HEPA filter and metal filter system
- One touch release dust function
- With a base to store accessories
- Two step speed regulation



## Standard accessories :

Charger



## Parameter :

Power	Battery	Work time	Vacuum	Charging time
80W (+/-5W)	2000mAh*2	12min	≥5 Kpa	4-5h

Dust capacity	Loading
0.12L	2580pcs/5180pcs/5940pcs

# VC1903R

## Characteristic :

- Handy vacuum cleaner
- Portable design
- HEPA filter and metal filter system
- One touch release dust function
- With a base to store accessories
- Two step speed regulation



## Standard accessories :

Charger



## Parameter :


Power	Work time	Battery	Charging time
80W (+/-5W)	12min	2000mAh*2	4-5h

Dust capacity	Loading
0.12L	2580pcs/5180pcs/5940pcs

# 503D

## Characteristic :

- Electric spin scrubber
- Voltage:7.4V battery
- Two speed control
- Different clean head
- Three angle to choose of clean head
- Adjustable angle and length



## Standard accessories :

Charger



Sharp brush



Flat brush



Round brush



## Parameter :

Power	Battery	Working time	Charging time
30W (±10W)	2000mAh*2	high speed:70min low speed:90min	4h

### Loading

1600pcs /3400pcs /3900pcs

# B2008

## Characteristic :

- Electric spin scrubber
- Voltage:7.4V battery
- Two speed control
- Different clean head
- Three angle to choose of clean head
- Adjustable angle and length



## Standard accessories :

Charger



Sharp brush



Flat brush



Round brush



## Parameter :

Power	Battery	Working time	Charging time
30W (±10W)	2000mAh*2	high speed:70min low speed:90min	4h

### Loading

1600pcs/3400pcs/3900pcs

# M1803

## Characteristic :

- Multifunctional waxing machine
- Li-ion battery type ,easy to operation
- Battery parameter:2000mAh\*2
- 2pcs rolling mop cloth to clean floor
- Spray water function in the front of base
- Water tank mouth on the top , easy to add water
- LED floodlight in the front




## Standard accessories :

Charger



Map cloth



Measuring glass



## Parameter :


Power	Battery	Working time	Charging time
30W (+/-5W)	2000mAh*2	dry towing>50min wet towing>30min	4.5h

Water tank capacity	Loading
110ML	1000pcs/2050pcs/2250pcs

# M1901

## Characteristic :

- Multifunctional waxing machine
- 2 speed control
- Li-ion battery type ,easy to operation
- Battery parameter:22000mAh\*4
- Super silence motor ,comfortable operation
- 2pcs rolling mop cloth to clean floor
- Spray water function in the front of base
- Water tank mouth on the top , easy to add water
- LED floodlight in the front
- Detachable battery pack




## Standard accessories :

Charger




Map cloth



Measuring glass



water tank



Detachable battery pack



## Parameter :


Power	Battery	Working time	Charging time
50W (+/-10W)	2200mAh*4	dry towing>50min wet towing>30min	5h

Water tank capacity	Loading
140ML	900pcs/1800pcs/2100pcs



# M1906

## Characteristic :

- Multifunctional waxing machine
- Li-ion battery type ,easy to operation
- Battery parameter:2600mAh\*4
- Super silence motor ,comfortable operation
- 2pcs rolling mop cloth to clean floor
- Spray water function in the front of base
- Water tank mouth on the top ,  
easy to add water
- LED floodlight in the front
- Detachable battery pack



## Standard accessories :



## Parameter :

Power	Battery	Working time	Charging time
50W (+/-10W)	2600mAh*4	60min	3.5h

Water tank capacity	Loading
250ML	560pcs/1140pcs/1360pcs

# M1909R

## Characteristic :

- Multifunctional waxing machine
- Li-ion battery type ,easy to operation
- Battery parameter:2000mAh\*2
- Super silence motor ,comfortable operation
- 2pcs rolling mop cloth to clean floor
- Spray water function in the front of base
- Water tank mouth on the top ,  
easy to add water
- LED floodlight in the front
- Detachable battery pack
- Power display




## Standard accessories :


Charger



Map cloth



Measuring glass



## Parameter :


Power	Battery	Working time	Charge time
30W (+/-10W)	2000mAh*2	dry towing>50min wet towing>30min	4.5h

Water tank capacity	Loading
120ML	810pcs /1670pcs /1900pcs

# M2003

## Characteristic :

- Multifunctional waxing machine
- Li-ion battery type ,easy to operation
- Battery parameter:2200mAh\*4
- Super silence motor ,comfortable operation
- 2pcs rolling mop cloth to clean floor
- Spray water function in the front of base
- Water tank mouth on the top ,  
easy to add water
- LED floodlight in the front
- Detachable battery pack
- Detachable and transparent  
water tank




## Standard accessories :

Charger



Map cloth



Measuring glass



water tank



## Parameter :

Power	Battery	Working time	Charging time
50W (+/-5W)	2200mAh*4	dry towing>50min wet towing>30min	4.5h

Water tank capacity	Loading
150ML	824pcs/1760pcs/2000pcs

# MC2009

## Characteristic :

- Mop vacuum cleaner
- There are mop and water tank at the bottom, which can clean the smudge on floor
- Suction in front and mopping after, independent water spraying button, finger pressure switch to control dust cleaning, which can prolong discharge time
- With 4 LED lights in the front, to help to clean the dark corner



## Standard accessories :

Measuring glass 

Charger 



mop cloth



dust tank

water tank

## Parameter :

Power	Battery	Working time	Vacuum	Charging time
130w	2000mAh*3	10 min	6kpa-14kpa	4 h

Dust capacity	Loading
0.25L	1010pcs/2050pcs/2400pcs

# MC2009P

## Characteristic :

- Mop vacuum cleaner
- There are mop and water tank at the bottom, which can clean the smudge on floor
- Suction in front and mopping after, independent water spraying button, finger pressure switch to control dust cleaning, which can prolong discharge time
- With 4 LED lights in the front, to help to clean the dark corner



## Standard accessories :

Measuring glass



Charger




mop cloth

dust tank



water tank



## Parameter :

Power	Battery	Work time	
100W BLDC	2200mAh*3	low speed:18min high speed:10min	
Vacuum	Charging time	Dust capacity	Loading
low speed:8.5Kpa high speed:11.5Kpa	about 4.5h	0.25L	1128pcs /2304pcs /2688pcs


# SV608

## Characteristic :

- Dust Mite Controller
- 14.6V li-ion battery to support powerful suction
- HEPA filter
- Vibration function
- UV light to kill dust mite and bed bugs
- Micro-move UV safety Switch
- Rolling brush in the front to collect dust



## Standard accessories :



## Parameter :

Power	Battery	Working time	Vacuum
100W (+/-10W)	low speed:50min high speed:23min	2600mAh*4	5kpa

Charging time	Dust capacity	Loading
4-5h	0.4L	1500pcs/3300pcs/3700pcs

# SV1801

## Characteristic :

- Dust Mite Controller
- 14.8V li-ion battery
- HEPA filter
- Vibration function
- Heating function
- UV light to kill dust mite and bed bugs
- Push auto release dust box



## Standard accessories :

Charger



heating function

UV lamp

vibration



## Parameter :

Power	Battery	Working time	Vacuum
100W (+/-10W)	2200mAh	19min	5kpa

Charging time	Dust capacity	Loading
4-5h	0.23L	1420pcs/2850pcs/2940pcs